

Work Order ID 155826

Wednesday, January 18, 2017 7:40:38 AM

155826

Page 1

Item ID: D3574-2

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Cabin Floor Protector

Start Date: 1/27/2017 Start Qty: 2.00

2

Cust Item ID:

Required Date: 2/1/2017 Req'd Qty: 2.00

2

Customer:

Reference:

Approvals:

Process Plan:

DAS
21
9-89

Date: JAN 23 2017

Tooling:

Date:

Run Start

NR1

QC:

Date:

SPC (Y/N):

Date:

Stop

NR2Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

Draw Nbr

Revision Nbr

D3574

Rev B

DAS
46
9-89

17/01/20

100

0.00

100

FLOW WATER JET

Waterjet

Memo

0.15

FLOW CNC Waterjet

1-Cut as per Dwg D3574

Dwg Rev: B

Prog Rev: B

2-Deburr

110

QC2- Inspect parts off machine FAI/FAIB

0.00

110

QC

Memo

0.00

Quality Control

DAS
46
9-89

17/01/20

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

155826

Wednesday, January 18, 2017 7:40:38 AM

N900040100

Setup Start *NS1*

Stop *NS2*

Start Date: 1/27/2017 **Start Qty:** 2.00 ***2***

Required Date: 2/1/2017 **Req'd Qty:** 2.00 ***2***

Reference:

Approvals: **Process Plan:** _____ **Date:** _____ **Tooling:** _____ **Date:** _____

Run Start *NR1*

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

**Insp.
Stamp**

120

2

JAN 31 2017

130

Small Fab

N/A DAS 38 3-89

140

Quality Control

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By _____ Lead hand / Supervisor Approval Verification _____ QC / QA Coordinator Approval _____		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐		
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐		
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐		
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐		
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐		
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐		
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐		
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐		
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐		
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐		
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____					
Misidentified ☐	Past Due ☐						

Work Order ID 155826

Wednesday, January 18, 2017 7:40:38 AM

155826

Page 3

Item ID: D3574-2

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Cabin Floor Protector

Start Date: 1/27/2017 Start Qty: 2.00 ***2***

Cust Item ID:

Required Date: 2/1/2017 Req'd Qty: 2.00 ***2***

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
150	Identify as per dwg & Stock Location: <u>pk</u>	0.00							
150						2			FEB 01
Packaging	Memo	0.00				DAS			
Packaging						6			
						9-89			
160	QC21- Final Inspection - Work Order Release	0.00							
160									
QC	Memo	0.03							
Quality Control									

DAS
21
9-89

FEB 01 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QS1042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
OTHER : _____									

Picklist Print

Tuesday, January 17, 2017 1:20:52 PM

Page 1

Work Order ID: 155826

155826

Parent Item: D3574-2

D3574-2

Parent Item Name: Cabin Floor Protector

Start Date: 1/27/2017

Required Date: 2/1/2017

Start Qty: 2.00

Required Qty: 2.00

Comments: IPP Rev :A New Issue 07-01-22 EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
MLEXS.125-F60029-04		Purchased		No			sf	3,053.670		50.70588			
MI FXS 125-F60029-04													
GE PLASTICS LEXAN SHEET (DARK GREY)													

DAS
46
9-89

17/01/20

Location

MAT018

m136228

Loc Qty

3053.67

3053.67

Loc Code

44.6

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

DART AEROSPACE LTD		Work Order: 155826
Description: Cabin Floor Protector		Part Number: D3574-2
Inspection Dwg: D3574	Rev: B	Page 1 of 2

FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article ☐ Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Ø3.00	+0.006/-0.001	3.004	✓		PC-01	
7.37	+/-0.030	7.37	✓		Tape	
10.75	+/-0.030	10.75	✓			
11.00	+/-0.030	11.00	✓			
15.25	+/-0.030	15.25	✓			
25.87	+/-0.030	25.87	✓			
39.75	+/-0.030	39.75	✓			
44.75	+/-0.030	44.75	✓			
53.51	+/-0.030	53.51	✓			
63.50	+/-0.030	63.50	✓			
65.25	+/-0.030	65.25				
10.75	+/-0.030	10.75	✓			
11.00	+/-0.030	11.00	✓			
14.75	+/-0.030	14.75	✓			
25.50	+/-0.030	25.50	✓			
25.75	+/-0.030	25.75	✓			
26.00	+/-0.030	26.00	✓			
32.87	+/-0.030	32.87	✓			
38.81	+/-0.030	38.81	✓			
45.00	+/-0.030	45.00	✓			
48.25	+/-0.030	48.25	✓			
58.38	+/-0.030	58.38	✓			
61.25	+/-0.030	61.25	✓			
64.13	+/-0.030	64.13	✓			
64.63	+/-0.030	64.63	✓			
66.50	+/-0.030	66.50	✓			
7.50	+/-0.030	7.50	✓			
9.50	+/-0.030	9.50	✓			
10.38	+/-0.030	10.38	✓			
10.88	+/-0.030	10.88	✓			
14.50	+/-0.030	14.50	✓			
16.56	+/-0.030	16.56	✓			
18.75	+/-0.030	18.75	✓			
24.13	+/-0.030	24.13	✓			

DART AEROSPACE LTD		Work Order:	155826
Description: Cabin Floor Protector		Part Number:	D3574-2
Inspection Dwg: D3574	Rev: B	Page 2 of 2	


FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article ☐ Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
26.50	+/-0.030	26.50	✓			
30.50	+/-0.030	30.50	✓			
33.88	+/-0.030	33.88	✓			
39.50	+/-0.030	39.50	✓			
40.25	+/-0.030	40.25	✓			
43.50	+/-0.030	43.50	✓			
46.60	+/-0.030	46.60	✓			
7.63	+/-0.030	7.63	✓			
11.00	+/-0.030	11.00	✓			
11.50	+/-0.030	11.50	✓			
16.75	+/-0.030	16.75	✓			
19.00	+/-0.030	19.00	✓			
22.50	+/-0.030	22.50	✓			
30.75	+/-0.030	30.75	✓			
32.63	+/-0.030	32.63	✓			
32.75	+/-0.030	32.75	✓			
35.13	+/-0.030	35.13	✓			
36.50	+/-0.030	36.50	✓			
40.00	+/-0.030	40.00	✓			
41.88	+/-0.030	41.88	✓			
43.63	+/-0.030	43.63	✓			
0.125	+/-0.010	0.125	✓			

Measured by:	DAS 46 9-89	Audited by:	DAS 38 9-89	Prototype Approval:	N/A
Date:	17/01/26	Date:	JAN 31 2017	Date:	N/A

Rev	Date	Change	Revised by	Approved
A	08.02.28	New Issue	KJ/DD	
B	08.07.31	47.75 dimension removed	KJ/DD	
C	09.05.15	Dimensions updated per Dwg Rev B	KJ	



NOTES:

- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP, (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3574-2" AND B/N USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 7) WEIGHT: 14.30 lbs
- 8) CHECK PER TEMPLATE DT8961

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER

NO. 155826 MJS
170125
RELEASED
01/24/01 JWP

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO. D3574	REV. B
MFG. APPR.		SHEET 2 OF 6	
APPROVED		TITLE	SCALE
DE APPR.		CABIN FLOOR PROTECTOR	NTS
DATE	09.03.25	COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	